













Jupiter



TECHNOLOGY

THAT HELPS YOU STAY CONNECTED, ALWAYS.













FULLY-DIGITAL COLOURED CLUSTER USE TECH TO YOUR ADVANTAGE.

1ST IN SEGMENT

TVS Assist

PERFORMANCE MEETS MILEAGE.







MAKES SURE YOUR RIDES ARE COMFORTABLE.



EXPERIENCE SUPERIOR HANDLING AND STABILITY



GO THROUGH ROUGH TERRAIN WITH EASE



DESIGNED FOR ULTIMATE COMFORT.



NEVER FALL SHORT ON COMFORT



BETTER BALANCE AND STABILITY ON EVERY TERRAIN

KFFP YOUR LOVED ONES SAFE.



STURDY AND DURABLE BUILD FOR ENHANCED PROTECTION



LIGHTS UP YOUR PATH



YOUR RIDE MADE SAFER -ALITO OFF INDICATORS



ALERT OTHER RIDERS DURING SUDDEN BRAKE



EVEN WHEN VISIBILITY IS LOW

CONVENIENCE

FOR EVERY NEED & FOR EVERYONE.



FUELING YOUR VEHICLE HAS NEVER BEEN EASIER



ON THE GO



CARRY EVERYTHING YOU NEED AND MORE



UNLOCK YOUR SEAT AND FUEL TANK WITH A SINGLE KEY



INTRODUCING

THE ALL-NEW TVS JUPITER with a modern design and a variety of first-in-segment features, the all-new TVS Jupiter is tailored to offer the best of technology, comfort, convenience, style, and safety which will delight you and your family.

1ST IN SEGMENT





ELEGANT COLOUR.



Features

ISG (Integrated Starter Generator) – Silent Start	/
iGO Assist	/
Integrated Start Stop	/
Headlight	LED
Tail lamp	LED
Front Turn Signal Lamp	LED
Rear Turn Signal Lamp	LED
Infinity Lamps	~
Follow me Home Headlamp	~
Hazard Lamps	~
Glove Box	~
All in One Lock	/
Fully Digital Connected Speedometer	_

JAGDAMBA MOTORS PVT. LTD. TVS 🛰

Laxman Babu Bhawan 3rd floor, Naxal, Kathmandu, Nepal. Tel: +977-01-4523627, 4523733, 4527734

Toll Free No.: 1660 013 1337, Hotline No.: 9851171014

sit: https://tvsnepal.com/product/jupit









SPECIFICATIONS

ENGINE (BS-VI compliant)

Type Single cylinder, 4-stroke,

CVTi, fuel injection

Displacement 113.3 cc
Bore x Stroke 51 x 55.5 mm
Maximum Power 5.9 kW @ 6500 rpm
Maximum Torque 9.8 Nm @ 5000 rpm
Transmission Type CVT automatic
Starting System Electric starter

ELECTRICALS

Ignition ECU-controlled ignition

Battery 12V, 5Ah Headlamp LED Tail Lamp LED

CHASSIS & SUSPENSION

Dimensions (I*h*b) 1848 x 665 x 1258 mm

Wheelbase 1275 mm

Ground Clearance 163 mm (unladen)
Front Suspension Telescopic hydraulic

Rear Suspension Twin tube emulsion type shock absorber

with 3-step adjustment.

BRAKES & TYRES

Front 220 mm Disc Rear 130 mm Drum

Tyre Size (Front & Rear) 90/90-12-54 J (tubeless)